Benchmarking the Performance of Dynamically Generated DAGs

Rahul Vats
Engineering Manager

@ Astronomer

Tati Al-Chueyr
Principal Software Engineer

@ Astronomer

Airflow Summit, Seattle, USA - 7 October 2025

Agenda

- 1. Motivation
- 2. Benchmark Principles
- 3. Representative Workflows
- 4. Metrics
- 5. Implementation
- 6. Results
- 7. Next steps

1. Motivation

Dynamic DAGs in Airflow

Because everything in Airflow is code, we can generate DAGs dynamically

```
from datetime import datetime
from airflow.sdk import DAG
from airflow.providers.standard.operators.bash import BashOperator
dag configs = [
    {"dag id": "dynamic dag 1", "command": "echo DAG 1"},
    {"dag id": "dynamic dag 2", "command": "echo DAG 2"},
def create_dag(dag id: str, command: str) -> DAG:
   with DAG(dag id=dag id, start date=datetime(2025, 10, 7), schedule="@daily") as dag:
        BashOperator(task id="run cmd", bash command=command)
   return dag
for cfg in dag configs:
    globals()[cfg["dag id"]] = create dag(cfg["dag id"], cfg["command"])
```

Dynamic DAGs in Airflow

The DAG Factory library, for example, builds Airflow DAGs out of YAML files

```
example_pypi_stats_dagfactory:
  default args:
    start date: 2025-10-07
 tasks:
    - task id: "get pypi projects list"
      decorator: airflow.sdk.task
      python_callable: pypi_stats.get_pypi_projects_list
    - task id: "fetch pypi stats data"
      decorator: airflow.sdk.task
      python callable: pypi stats.fetch pypi stats data
      expand:
        package_name: +get_pypi_projects_list
    - task id: "summarize"
      decorator: airflow.sdk.task
      python callable: pypi stats.summarize
      values: +fetch_pypi_stats data
```

\$ pip install dag-factory


Dynamic DAGs in Airflow

The Cosmos package dynamically translates dbt pipelines into Airflow DAGs











\$ pip install astronomer-cosmos

High adoption of Dynamic DAGs tools

- Over 20M+ monthly downloads in PyPI (just Cosmos & DAG Factory)
- Millions of dynamically build DAGs run every month in Astro



How often Airflow reparse(Dynamic) DAGs



Dynamic DAGs needs

- DAGs are parsed both by the DAG Processor and every Worker node
- Compared to non-dynamic DAGs, dynamic DAGs will likely:
 - Consume more CPU
 - Consume more memory
 - Take longer to be parsed
- Users can be surprised by:
 - DAG Timeout issues
 - Long task queue times
 - Resource consumption not only on the DAG Processor, but also on worker nodes

Dynamic DAGs issues

Dags taking a long time to appear in the UI and staying in a queued state...

T



Via web form



Annie Friedman Internal • Aug 06 10:43

They said Dags were talking sometimes upwards of 30 minutes to reflect changes and tasks are being queued for upwards of 10min. They are a bit high on dag processor and worker cpu but not horribly so. From my cursory glance, I suspect this is exacerbated from their high rate of dag only deploys. Is there anything on the backend we can do to alleviate some of the pressure from the deploys? They aren't interested in using ephemeral deployments and their ci/cd runs a dag only deploy with every developer's commits. They also aren't interested in changing their ci/cd process at this time. This is effecting both dev and prod and is new since they have moved to hosted.


https://astronomer.zendesk.com/agent/tickets/80415

Dynamic DAGs issues

cosmos task taking too long

Via API





Hi, I have an issue with a dag "ingestion_dbt_starfish_retail_orders", where the dag is scheduled to run every 10min but each run is taking more than 10min after I moved to cosmos. This dbt job is running several dbt models based on a dbt tag. After moving to cosmos, the length of each run has increased because the dbt compile takes place for each individual model instead of just once when running with the tag. Do you have any suggestions on reducing the time taken when using cosmos and running dbt models using dbt tags

Workspace: Data Team

Deployment: -data-prod-astro-deployment

Stakeholders who cares about performance?

- End-users: can lose money due to misbehaving workflows
- Airflow Developers: want to improve and not degrade performance over versions
- Sales: so they communicate metrics to prospective customers with confidence
- Product Marketing: wants to compare against competitors

Lack of benchmark standardization

- No clear standard for running performance benchmarks on Apache Airflow
- Users and companies very often rely on ad-hoc benchmarking
- There is lack of consistency and manual overhead
- Lack of history, results are usually presented in one-off spreadsheets, docs and slides

2. Benchmark Principles

Clear objectives

- Define what you want to measure (throughput, latency, resource usage, etc)
- Tie benchmarks to real-world use patterns (peak loads, typical queries, business workflows)
- Motivation:
 - Find bottlenecks
 - Comparing against a baseline


Workload Design

- Representativeness: Use realistic workloads, not just synthetic stress tests.
- Variability: Include different query types, request patterns, and concurrency levels.
- Scaling: Test both typical and extreme workloads (steady state + stress testing).

Environment consistency


- Ensure test environments are isolated and reproducible (same hardware, cloud instance type, config).
- Minimize external noise: background jobs, network contention, autoscaling effects.
- Use version control for test configs, datasets, and scripts.

Benchmark experiment life cycle



3. Representative Workflows

Some workflows are too small




https://github.com/dbt-labs/jaffle-shop-classic

Synthetic workflows can not be representative



Real (open source) dbt project





https://github.com/google/fhir-dbt-analytics

4. Measurement & Metrics

Measurement & Metrics

- Core metrics:
 - DAG Run
 - Task Throughput
 - Error rate
 - Resource utilization
 - Memory
- Secondary metrics:
 - Startup time
 - Queue time
- Monitor system health
 - Logs, GC, caching, throttling

Statistical Significance

- Run multiple iterations, don't rely on single runs.
- Be aware of variance (especially in cloud environments)
- Use statistical techniques (confidence intervals, standard deviation) to confirm results are stable:
 - Standard deviation
 - Percentiles (p50, p95, p99)

5. Implementation

Experiment goal

Understand Cosmos 1.10 performance compared to dbt Core and dbt Cloud, when splitting the execution of a dbt pipeline in one or multiple commands, using a representative dbt project.

Experiment goal

```
# cmd: 1
```

\$ dbt build

cmd: 3

```
$ dbt seed
$ dbt run
$ dbt test
```

#cmd: 13

```
$ dbt seed --select raw customers
$ dbt seed --select raw orders
$ dbt seed --select raw payments
$ dbt run --select stg customers
$ dbt run --select stg orders
$ dbt run --select stg payments
$ dbt run --select customers
$ dbt run --select orders
$ dbt test --select stg customers
$ dbt test --select stg orders
$ dbt test --select stg payments
$ dbt test --select customers
$ dbt test --select orders
```

Experiment goal

cmd: 1

build
DbtBuildLocalOperator

success

cmd: 3




#cmd: 13




Metrics considered

- Pipeline execution time
- Memory consumption (average and standard deviation)
- CPU (average and standard deviation)


Benchmark experiment life cycle dbt Cloud



Benchmark experiment life cycle dbt Core



Benchmark experiment life cycle Airflow



Repository

We strongly believe that benchmarks should be public and reproducible by anyone in the community, and for this reason we've open-sourced this repository:

https://github.com/astronomer/cosmos-benchmark

6. Results

| Р | latform | Airflow Command | Airflow DAG | dbt Command | Granuarity | Durati on | Max CPU Utilization | Stddev CPU Utilization | Max Memory Usage |
|----|----------|--------------------|-------------|-------------|----------------|--------------|------------------------|---------------------------|---------------------|
| dl | bt Cloud | N/A | N/A | dbt build | single command | 0:05:10 | N/A | N/A | N/A |

| Platform | Airflow Command | Airflow DAG | dbt Command | Granuarity | Durati on | Max CPU Utilization | Stddev CPU Utilization | Max Memory Usage |
|-----------|--------------------|-------------|-------------|-------------------------------|--------------|------------------------|---------------------------|---------------------|
| dbt Cloud | N/A | N/A | dbt build | single command | 0:05:10 | N/A | N/A | N/A |
| dbt Core | N/A | N/A | dbt run | single command | 0:05:05 | 0.39 | 0.06 | 306 MiB |
| dbt Core | N/A | N/A | dbt run | multi command (one per model) | 0:31:50 | 0.39 | 0.06 | 306 MiB |

https://github.com/astronomer/cosmos-benchmark/pull/4https://github.com/astronomer/cosmos-benchmark/pull/5

| Platform | Airflow Command | Airflow DAG | dbt Command | Granuarity | Durati on | Max CPU Utilization | Stddev CPU Utilization | Max Memory Usage |
|-------------|----------------------|----------------|-------------|-------------------------------|--------------|------------------------|---------------------------|---------------------|
| dbt Cloud | N/A | N/A | dbt build | single command | 0:05:10 | N/A | N/A | N/A |
| dbt Core | N/A | N/A | dbt run | single command | 0:05:05 | 0.39 | 0.06 | 306 MiB |
| dbt Core | N/A | N/A | dbt run | multi command (one per model) | 0:31:50 | 0.39 | 0.06 | 306 MiB |
| ubt Core | airflow dags | DbtBuildLocalO | ubt full | (one per moder) | 0.51.50 | 0.39 | 0.00 | 300 WIID |
| Airflow OSS | test | perator | dbt build | single command | 0:05:59 | 0.18 | 0.03 | 537 MiB |
| Airflow OSS | airflow dags test | DbtDag | dbt run | multi command (one per model) | 0:27:26 | 0.19 | 0.25 | 1 GiB |

https://github.com/astronomer/cosmos-benchmark/pull/6

| Platform | Airflow Command | Airflow DAG | dbt Command | Granuarity | Durati on | Max CPU Utilization | Stddev CPU Utilization | Max Memory Usage |
|-------------|--------------------|----------------|-------------|-----------------|--------------|------------------------|---------------------------|---------------------|
| dbt Cloud | N/A | N/A | dbt build | single command | 0:05:10 | N/A | N/A | N/A |
| | | | | | | | | |
| dbt Core | N/A | N/A | dbt run | single command | 0:05:05 | 0.39 | 0.06 | 306 MiB |
| | | | | multi command | | | | |
| dbt Core | N/A | N/A | dbt run | (one per model) | 0:31:50 | 0.39 | 0.06 | 306 MiB |
| | airflow dags | DbtBuildLocalO | | | | | | |
| Airflow OSS | test | perator | dbt build | single command | 0:05:59 | 0.18 | 0.03 | 537 MiB |
| | airflow dags | | | multi command | | | | |
| Airflow OSS | test | DbtDag | dbt run | (one per model) | 0:27:26 | 0.19 | 0.25 | 1 GiB |
| | airflow dags | DbtBuildLocalO | | | | | | |
| Airflow OSS | trigger | perator | dbt build | single command | 0:05:50 | 1.3 | 0.09 | 1.6 GB |
| | airflow dags | | | multi command | | | | |
| Airflow OSS | trigger | DbtDag | dbt run | (one per model) | 0:15:13 | 3 | 0.15 | 2.5 GB |

https://github.com/astronomer/cosmos-benchmark/pull/7



Boosting dbt Core Workflows Performance

With Airflow's Deferrable Capabilities

12:00 PT • Wednesday, October 8, 2025



Pankaj Koti Software Engineer @ Astronomer Apache Airflow Committer



Tatiana Al-Chueyr Staff Software Engineer @ Astronomer Cosmos Tech Lead



Pankaj Singh Senior Software Engineer @ Astronomer Apache Airflow Committer

7. Next steps

Next steps

https://qithub.com/astronomer/cosmos-benchmark

- Have a configuration-driven approach to run the tests and track those over time
- Leverage Airflow 3 APIs to trigger and monitor the status of Airflow jobs
- Store results consistently in a way we can track experiments over time publically
- Automate tests via the CI based on changes
- Collect more metrics
- Extend benchmark to run in Astro

8. Take away

Performance/benchmark testing isn't just about running stress tools—it's about designing fair, reproducible, and meaningful experiments that guide decision-making.

We need to have a **Open Source standard** to run **benchmarks** on Airflow to allow the project to continue being a **leader** among **orchestration tools**



Learn more about how to run dbt with Apache Airflow and Cosmos

```
22
         target name="dev",
23
         profile_mapping=PostgresUserPasswordProfileMapping(
24
             conn_id=POSTGRES_CONN_ID,
25
             profile_args={"schema": SCHEMA_NAME},
26
27
28
29
     # Only needed if
                                                                  ments.txt file
      _execution_confi
31
         dbt_executab
32
33
34
35
      @dag(
36
         params={
37
             "my_depa
38
                 "DEI
39
                 type
40
41
42
         tags=["out-o
43
44
     def example_inje
                           Orchestrating dbt
45
46
         @task
                        with Apache Airflow®
47
         def pre_dbt(
48
             return c
                             using Cosmos
49
50
         _pre_dbt = |
51
52
         dbt_project
53
             group_id="dbt_project",
54
             project_config= project_config,
55
             profile_config=_profile_config,
56
             execution_config=_execution_config,
57
             operator_args={
                 "vars": '{"my department": "{{ ti.xcom pull(task ids="pre dbt") }}"}'.
```

Thank you! Questions?

Rahul Vats

Tati Al-Chueyr

#airflow-dbt Slack channel

ASTRONOMER