# Boosting dbt Core workflows performance Airflow Deferrable Capabilities

Pankaj Koti Senior Software Engineer @ Astronomer Pankaj Singh Senior Software Engineer @ Astronomer Tati Al-Chueyr
Principal Software Engineer

@ Astronomer

Airflow Summit, Seattle, USA - 8 October 2025


#### Agenda

- 1. What is dbt
- 2. Why Cosmos
- 3. Performance challenge
- 4. Strategy 1: Airflow Deferrable
- 5. Strategy 2: Watcher
- 6. Takeaways

#### 1. What is dbt

#### dbt Core what is it?

dbt Core is an open-source tool that empowers data practitioners to transform



\$ pip install dbt-core

#### dbt Core project structure & syntax

```
jaffle_shop git:(af-31) * tree
   dbt_project.yml
   LICENSE
    macros
    -- drop_table.sql
    models
    — customers.sql

    ⊢─ docs.md

    ── orders.sal
    ├─ overview.md
    ├─ schema.yml
    - staging
       — schema.yml

→ stg_customers.sql

→ stq_orders.sql

       sta_payments.sal
   packages.yml
   profiles.yml

    README.md

 seeds
    -- raw_customers.csv
    ─ raw_orders.csv
    raw_payments.csv
5 directories, 19 files
```

```
jaffle_shop git:(af-31) * cat models/staging/stg_payments.sql
with source as (
    ₹#-
    Normally we would select from the table here, but we are using seeds to load
    our data in this project
    #}
    select * from {{ ref('raw_payments') }}
renamed as (
    select
        id as payment_id.
        order_id.
        payment_method,
        -- `amount` is currently stored in cents, so we convert it to dollars
        amount / 100 as amount
    from source
select * from renamed
```

## dbt Core pipeline visualisation



#### dbt Core limitations

dbt Core does not...

- Schedule jobs in production
- Run scalable extract and load tasks
- Have centralised logging or alerts handling
- Make the project's documentation available to other team members

dbt Labs, creator and maintainer of dbt Core, solves these issues via their proprietary and commercial platform, dbt Cloud.

## 2. Why Cosmos


#### Why Cosmos?

Cosmos "magically" translates dbt pipelines in Airflow DAGs










pip install astronomer-cosmos

#### Why Cosmos?


```
import os
from datetime import datetime
from pathlib import Path
from cosmos import DbtDag, ProjectConfig, ProfileConfig
from cosmos.profiles import PostgresUserPasswordProfileMapping
DEFAULT_DBT_ROOT_PATH = Path(__file__).parent / "dbt"
DBT_ROOT_PATH = Path(os.getenv("DBT_ROOT_PATH", DEFAULT_DBT_ROOT_PATH))
profile_config = ProfileConfig(
   profile_name="jaffle_shop",
   target_name="dev",
   profile_mapping=PostgresUserPasswordProfileMapping(
       conn_id="airflow_db",
       profile_args={"schema": "public"},
   ),
basic_cosmos_dag = DbtDag(
   project_config=ProjectConfig(
       DBT_ROOT_PATH / "jaffle_shop",
   profile_config=profile_config,
   schedule="@daily",
   start_date=datetime(2023, 1, 1),
   catchup=False,
   dag_id="basic_cosmos_dag",
```






#### Cosmos adoption

- 20M+ downloads in PyPI per month (August-September 2025)
- 1k stars in Github
- Millions of Cosmos tasks are run every month (>20% Astro customers)



#### The driving force behind Cosmos

https://github.com/astronomer/astronomer-cosmos/



## 3. Performance challenge

## Performance has been a priority

	1.2.5	1.3 (DBT LS FILE)	1.4	1.5	1.6
DAG Parsing time	00:00:08	00:00:02	00:00:07	00:00:02	00:00:02
Task Run time	00:00:09	00:00:08	00:00:06	00:00:05	00:00:04
Task Queue time	00:00:09	00:00:04	00:00:05	00:00:01	00:00:01
DAG Run time	00:01:29	00:00:55	00:01:18	00:00:43	00:00:42

Slides <a href="https://airflowsummit.org/slides/2024/40-Overcoming-Performance-Hurdles-in-Integrating-dbt-with-Airflow.pdf">https://airflowsummit.org/slides/2024/40-Overcoming-Performance-Hurdles-in-Integrating-dbt-with-Airflow.pdf</a> Recording: <a href="https://www.youtube.com/watch?v=gnJPFGvqLzU">https://www.youtube.com/watch?v=gnJPFGvqLzU</a>

#### The cost of running dbt commands

The following approaches accomplish the same outcome.

#### Which one is faster?

# # cmd: 1

# # cmd: 3 \$ dbt seed \$ dbt run

\$ dbt test


#### #cmd: 13

```
$ dbt seed --select raw customers
$ dbt seed --select raw orders
$ dbt seed --select raw payments
$ dbt run --select stg customers
$ dbt run --select stg orders
$ dbt run --select stg payments
$ dbt run --select customers
$ dbt run --select orders
$ dbt test --select stg customers
$ dbt test --select stg orders
$ dbt test --select stg payments
$ dbt test --select customers
$ dbt test --select orders
```

#### The cost of running dbt

These are the **total times** to run **the same example pipeline** (Jaffle Shop) with **dbt Core** 1.10.1 using **Snowflake** in **the three ways described** previously (using M1 Pro)

```
# cmd: 1
$ dbt build
17s
```



34s


#### #cmd: 13

```
$ dbt seed --select raw customers
$ dbt seed --select raw orders
$ dbt seed --select raw payments
$ dbt run --select stg customers
$ dbt run --select stg orders
$ dbt run --select stg payments
$ dbt run --select customers
$ dbt run --select orders
$ dbt test --select stg customers
$ dbt test --select stg orders
$ dbt test --select stg payments
$ dbt test --select customers
$ dbt test --select orders
```

#### Reducing task execution time with Cosmos 1.10

```
from datetime import datetime
from cosmos import DbtDag, ProjectConfig, ProfileConfig
from include.constants import jaffle shop path
project config = ProjectConfig(
    dbt project path=jaffle shop path,
profile config = ProfileConfig(
    profile name="jaffle shop",
    target name="dev",
    profiles yml filepath=jaffle shop path / "profiles.yml",
snowflake dag = DbtDag(
    project config=project config,
    profile config=profile config,
    start date=datetime(2023, 1, 1),
    dag id="snowflake dag",
    tags=["profiles"],
```

# Standard behaviour of running one task per dbt node in Cosmos



#### Reducing task execution time with Cosmos 1.10

```
from airflow.sdk import DAG
from cosmos import DbtRunLocalOperator, DbtSeedLocalOperator, DbtTestLocalOperator,
ProfileConfig
from include.constants import jaffle_shop_path
with DAG("snowflake_dag_per_resource") as dag:
    seed = DbtSeedLocalOperator(
        task_id="seed",
        profile_config=profile_config,
        project_dir=jaffle_shop_path,
    run = DbtRunLocalOperator(
        task_id="run",
        profile_config=profile_config,
        project_dir=jaffle_shop_path,
    test = DbtTestLocalOperator(
        task_id="test",
        profile config=profile config,
        project_dir=jaffle_shop_path,
    seed >> run >> test
```

# Running one task per dbt node type with Cosmos



#### Reducing task execution time with Cosmos 1.10

```
from airflow.sdk import DAG
from cosmos import DbtBuildLocalOperator, ProfileConfig
from include.constants import jaffle shop path
profile config = ProfileConfig(
    profile name="jaffle shop",
    target name="dev",
    profiles yml filepath=jaffle shop path / "profiles.yml",
with DAG("snowflake dag single task") as dag:
    build = DbtBuildLocalOperator(
        task id="build",
        profile config=profile config,
        project dir=jaffle shop path,
    build
```

Running **one task** for the whole dbt workflow with Cosmos



20s


#### Cosmos & dbt performance

	1 command	3 commands	13 commands
dbt Core	17s	24s	61s
dbt Fusion	15s	26s	74s
Cosmos with dbt Core (*)	20s	27s	48s

(\*) Using the \$ airflow dags test command with Cosmos 1.11.0a1, Airflow 3.0.2, dbt Core 1.10 (installed in the same Python virtualenv as Airflow and Cosmos), against Snowflake. In practice, when using a production Airflow deployment such as Astro, the latency will be higher, due to their distributed nature.

#### Challenge


Is it possible to give users a **fine-grained visualisation** and **retry per model** capabilities without running a **dbt** command **for every seed or model**?




## 4. Strategy 1: Airflow Deferrable




pre-compile SQL with dbt



https://astronomer.github.io/astronomer-cosmos/getting\_started/async-execution-mode.html





# **Strategy 1** ExecutionMode.AIRFLOW\_ASYNC Performance improvements

Execution mode	Time to run project (minutes)
dbt run	13
Cosmos 1.9 (*) with <b>ExecutionMode.LOCAL</b> (Airflow with a local astro-cli setup)	11
Cosmos 1.9 (*) with <b>ExecutionMode.AIRFLOW_ASYNC</b> (Airflow with a local astro-cli setup)	11
Cosmos 1.11a6 (**) with <b>ExecutionMode.AIRFLOW_ASYNC</b> (Airflow with a local astro-cli setup)	7

(\*) Using Cosmos 1.9 with Airflow 3.0.2, dbt Core 1.10 (installed in the same Python virtualenv as Airflow and Cosmos), against Postgres. We are using a dbt project that has <u>129 models</u>.

(\*\*) Cosmos 1.11a6 has two main improvements regarding the AIRFLOW ASYNC, originally released in Cosmos 1.9:

- Use of XCom instead of Remote object store to exchange compiled SQL files #1934
- Reuse Python virtualenv across tasks running in the same worker node #1939

#### Pros

- Reduced benchmark Airflow DAG run time by 36%
- Single dbt command invocation (less CPU/memory allocation)
- Non-blocking transformations in the data warehouse with Airflow deferrable operators

#### Cons

- Currently only supports dbt models
- Currently only supports BigQuery
- Implementation specific per data warehouse
- The dbt project cannot have models with a metadata-dependency on other models
- Some users reported issues related to Airflow deferrable operators, which can be challenging to reproduce
- Only works with dbt Core (not dbt Fusion)

#### **Next steps**


ExecutionMode.AIRFLOW\_ASYNC

- Available since Cosmos 1.9 for BigQuery
- 2. Significant performance improvements in Cosmos 1.11 pre-releases
- We need feedback!
- 4. Maybe add non-async version
- 5. We've introduced telemetry to evaluate the adoption
- 6. We'd love contributions

is:issue state:open label:execution:async

## 5. Strategy 2: Watcher

#### Strategy 2 ExecutionMode.WATCHER



https://github.com/astronomer/astronomer-cosmos/issues/1950

#### Strategy 2 ExecutionMode.WATCHER

#### Registering callbacks

Register callbacks on dbt's EventManager, to access structured events and enable custom logging. The current behavior of callbacks is to block subsequent steps from proceeding; this functionality is not guaranteed in future versions.

```
from dbt.cli.main import dbtRunner
from dbt_common.events.base_types import EventMsg

def print_version_callback(event: EventMsg):
    if event.info.name == "MainReportVersion":
        print(f"We are thrilled to be running dbt{event.data.version}")

dbt = dbtRunner(callbacks=[print_version_callback])
dbt.invoke(["list"])
```

https://docs.getdbt.com/reference/programmatic-invocations#registering-callbacks

# Strategy 2 ExecutionMode.WATCHER Performance improvements

Execution mode	Number of threads	Time to run project (minutes)
dbt build in the CLI	4	6-7
dbt run for each model individually		30
Cosmos default ExecutionMode.LOCAL in Astro CLI locally		10 - 15
Cosmos proposed ExecutionMode.WATCHER in Astro CLI locally	1	26
	2	14
	4	7
	8	4
	16	2
The ExecutionMode.WATCHER in Airflow with an Astro deployment (A10)	8	5

#### Strategy 2 ExecutionMode.WATCHER

#### Pros

- Reduced DAG run time to 1/5th of the original time
- Single dbt run
  - o **generates unified** run results.json
  - o **support dbt** pre-hook & post-hook
- Data warehouse-agnostic implementation

#### **Cons/Current Limitations**

- Airflow worker is blocked by transformations happening in the data warehouse
- Retries have the same performance as ExecutionMode.LOCAL
- Currently relies on dbt and Airflow being installed in the same Python venv (some users report conflicts between dependencies)
- Unclear how these features should work: Cosmos callback, Airflow datasets/assets and OpenLineage events

https://github.com/astronomer/astronomer-cosmos/issues/1950

#### **Next steps**

#### ExecutionMode.WATCHER

- 1. We successfully ran a PoC during August 2025
- 2. First release estimate: end of October 2025 (available in 1.11.0a6)
- 3. Work on making sensors deferrable
- We need feedback!
- 5. We'd love contributions

is:issue state:open label:execution:watcher

## 6. Takeaways

#### **Takeaways**

- To run the same dbt pipeline with multiple dbt command is slow
- 2. To use **Airflow deferrable operators** allows to not **wait for the transformation** in the **data warehouse**, which can save 36% DAG runtime
- It is not always possible to pre-compile a dbt project
- 4. The watcher approach reduces the DAG runtime up to 80% and it is agnostic to data-warehouse
- 5. We need feedback and help!



**Learn more about how to run dbt** with Apache Airflow and Cosmos

```
22
         target name="dev",
23
         profile_mapping=PostgresUserPasswordProfileMapping(
24
             conn_id=POSTGRES_CONN_ID,
25
             profile_args={"schema": SCHEMA_NAME},
26
27
28
29
     # Only needed in
                                                                  ments.txt file
      _execution_confi
31
         dbt_executab
32
33
34
35
      @dag(
36
         params={
37
             "my_depa
38
                 "DEI
39
                 type
40
41
42
         tags=["out-o
43
44
     def example_inje
                           Orchestrating dbt
45
46
         atask
                        with Apache Airflow®
47
         def pre_dbt(
48
             return c
                             using Cosmos
49
50
         _pre_dbt = |
51
52
         dbt_project
53
             group_id="dbt_project",
54
             project_config=_project_config,
55
             profile_config=_profile_config,
56
             execution_config=_execution_config,
57
             operator_args={
                 "vars": '{"my department": "{{ ti.xcom pull(task ids="pre dbt") }}"}'.
```

# The 2025 Apache Airflow® Survey is here!

Fill it out to for a free Airflow 3
Fundamentals or DAG Authoring in
Airflow 3 certification code



# Thank you! Questions?

Pankaj Koti

Pankaj Singh

Tati Al-Chueyr

#airflow-dbt Slack channel

ASTRONOMER